Hit List

Clear I	Generate Collection	Print	Fwd Refs	Bkwd Refs
Vical	Ocherate Contocuon	1 11116		Divid 1,0.0
_	Gener	ate OACS		
	Gere	ale onco		

Search Results - Record(s) 1 through 14 of 14 returned.

☐ 1. Document ID: <u>US 20040096491 A1</u>

Using default format because multiple data bases are involved.

L9: Entry 1 of 14

File: PGPB

May 20, 2004

PGPUB-DOCUMENT-NUMBER: 20040096491

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040096491 A1

TITLE: Adhesive patch

PUBLICATION-DATE: May 20, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

RULE-47

Tateishi, Tetsuro

Tsukuba-shi

JΡ

Terahara, Takaaki

Tsukuba-shi

JΡ

Higo, Naruhito

Tsukuba-shi

JP

US-CL-CURRENT: 424/449

Full	Title Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KOMO D	raw. De
	//////////////////////////////////////							***************************************		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

☐ 2. Document ID: US 20040057987 A1

L9: Entry 2 of 14

File: PGPB

Mar 25, 2004

PGPUB-DOCUMENT-NUMBER: 20040057987

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040057987 A1

TITLE: Novel formulations for the transdermal administration of fenoldopam

PUBLICATION-DATE: March 25, 2004

INVENTOR-INFORMATION:

NAME CITY

. . . .

STATE COUNTRY

RULE-47

van Osdol, William W.

Mountain View

CA US

Crisologo, Nieves M.

Sunnyvale

CA US

Yum, Su Il

Los Altos

CA US

US-CL-CURRENT: 424/449; 514/217.02

ABSTRACT:

Composition of matter for application to a body surface or membrane to administer fenoldopam by permeation through the body surface or membrane, the composition comprising fenoldopam to be administered, at a therapeutically effective rate, in combination with a permeation enhancer or mixture. Also disclosed are drug delivery devices and methods for the transdermal administration of fenoldopam for the treatment of hypertension, congestive heart failure, and chronic and acute renal failure.

Full Title Citation Front Review Classic	fication Date Reference Sequences Atte	chments Claims 1904C Draw De
☐ 3. Document ID: <u>US 2003019</u>	98662 A1	
L9: Entry 3 of 14	File: PGPB	Oct 23, 2003

PGPUB-DOCUMENT-NUMBER: 20030198662

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030198662 A1

TITLE: Transdermal administration of $N-(2,5-disubstituted\ phenyl)-N'-(3-substituted\ phenyl)-N'-methyl guanidines$

PUBLICATION-DATE: October 23, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Van Osdol, William Woodson	Mountain View	CA	US	
Gale, Robert Martin	Los Altos	CA	US	
Brandwein, David Henry	New Brighton	MN	US	
Padmanabhan, Rama	Los Altos	CA	US	
Sunram, Joan	Coon Rapids	MN	US	

US-CL-CURRENT: 424/449; 514/634

ABSTRACT:

Composition of matter for application to a body surface or membrane to administer a $N-(2,5-Disubstituted\ phenyl)-N'-(3-substituted\ phenyl)-N'-methyl guanidine by permeation through the body surface or membrane, the composition comprising the guanidine compound to be administered, at a therapeutically effective rate, optionally in combination with a permeation enhancer or mixture. Also disclosed are drug delivery devices and methods for the transdermal administration of a guanidine for the prevention of neuropathic pain, neuropsychological deficits resulting from cardiac surgery (CABG), and other neurological disorders.$

Full Title Citation Fro	ont Review Classification	Date Reference	Sequences	Attachments	Claims	KOMO I	Drawu De
							

4. Document ID: <u>US 20030166624 A1</u>

· Record List Display

L9: Entry 4 of 14

File: PGPB

Sep 4, 2003

PGPUB-DOCUMENT-NUMBER: 20030166624

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030166624 A1

TITLE: Novel formulations for the administration of fluoxetine

PUBLICATION-DATE: September 4, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Gale, Robert M.	Los Altos	CA	US	
Nelson, Melinda K.	Sunnyvale	CA	US	
Cormier, Michel J.N.	Mountain View	CA	US	
Gupta, Suneel K.	Sunnyvale	CA	US	
Campbell, Patricia S.	Palo Alto	CA	US	

US-CL-CURRENT: 514/171; 514/651

ABSTRACT:

Composition of matter for application to a body surface or membrane to administer fluoxetine by permeation through the body surface or membrane, the composition comprising fluoxetine to be administered, at a therapeutically effective rate, alone or in combination with a permeation enhancer or mixture. A preferred embodiment is directed to the transdermal administration of fluoxetine at reduced skin irritation levels wherein fluoxetine, preferably provided as fluoxetine acetate, is coadministered with a corticosteroid such as hydrocortisone. Also disclosed are drug delivery devices containing the fluoxetine or fluoxetine and enhancer composition and methods for the transdermal administration of the fluoxetine and fluoxetine/enhancer composition.

Full Title Citation Front Review Classification C	ate Reference	Sequences	Attachments	Claims	KOMIC	Draw. De
5. Document ID: <u>US 20030108609 A</u>	<u> 1</u>					
L9: Entry 5 of 14	File: P	GPB		Jun 1	12,	2003

PGPUB-DOCUMENT-NUMBER: 20030108609

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030108609 A1

TITLE: Stable non-aqueous single phase viscous vehicles and formulations utilizing such vehicles

PUBLICATION-DATE: June 12, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Berry, Stephen A. Hollister CA US

· Record List Display

Fereira, Pamela J. Dehnad, Houdin Redwood City El Granada CA US

Muchnik, Anna

Belmont

CA US

US-CL-CURRENT: 424/486

ABSTRACT:

This invention relates to stable non-aqueous single phase viscous vehicles and to formulations utilizing such vehicles. The formulations comprise at least one beneficial agent uniformly suspended in the vehicle. The formulation is capable of being stored at temperatures ranging from cold to body temperature for long periods of time. The formulations are capable of being uniformly delivered from drug delivery systems at an exit shear rate of between about 1 to 1.times.10.sup.-7 reciprocal second.

Full Title Citation	n Front Review Classifica	ation Date Reference	e Sequences Attachm	ents Claims	K0010 Draw De
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					

☐ 6. Document ID: <u>US 20030082122 A1</u>

L9: Entry 6 of 14

File: PGPB

May 1, 2003

RULE-47

PGPUB-DOCUMENT-NUMBER: 20030082122

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030082122 A1

TITLE: Titanium dioxide particles

PUBLICATION-DATE: May 1, 2003

INVENTOR-INFORMATION:

NAME CITY

Chopin, Thierry Saint-Leu-la-Foret

it-Leu-la-Foret FR

STATE

COUNTRY

Dupuis, Dominique Deuil-la-Barre FR

Willemin, Claudie Paris FR

US-CL-CURRENT: 424/63; 106/436

ABSTRACT:

Anatase titanium dioxide particles no larger than 100 nm and coated with a layer of a metal oxide, hydroxide or oxohydroxide, said particles having a BET specific surface area of at least 70 m.sup.2/g and a density of around 2.2. A method for preparing said particles, and the use thereof as an anti-UV agent, in particular for preparing formulations for cosmetics, varnishes, paints and plastics, are also disclosed.

			,		
Full Title Citation Front	Review Classification	Date Reference	Sequences	- Attachments Clai	ms KWIC Draw De
		·			

7. Document ID: US 20010051182 A1

L9: Entry 7 of 14

File: PGPB

Dec 13, 2001

PGPUB-DOCUMENT-NUMBER: 20010051182

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20010051182 A1

TITLE: Skin patch for use in contact immunotherapy

PUBLICATION-DATE: December 13, 2001

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

RULE-47

Hopp, Robert B.

Richland

WA

US

US-CL-CURRENT: 424/449; 424/195.18, 424/275.1

ABSTRACT:

A device, preferably in the form of a skin patch, is disclosed for usage in the delivery of a contactant to human skin for the purpose of treating medical conditions responsive to contact immunotherapy, without the presence of medication to alleviate contact dermatitis induced by the contactant. The skin patch specifically induces a cell-mediated contact dermatitis in the treatment of skin disorders. Its anticipated use pertains to treatment of, for example, human papilloma virus infections, or warts. In a first embodiment, a pressure activated single chambered skin patch is topically applied and used for controlled release of contactant to human skin. In a second embodiment, a pressure activated twochambered skin patch is topically applied and used for controlled release of a contactant to human skin. Alternatively, a single chambered skin patch is topically applied and hydrated by the contacted skin for release of contactant. In an additional embodiment, the contactant may be applied separately of the skin patch portion, in a manner that maintains the contactant in contact with the patient's skin for the predetermined period of time necessary to cause sufficient contact dermatitis to effect resolution of the medical condition.

Full Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw, De
سحب سيبب						-					
								······································			***************************************
	***************************************	***************************************									

8. Document ID: US 20030166624 A1

L9: Entry 8 of 14

File: DWPI

Sep 4, 2003

DERWENT-ACC-NO: 2004-119126

DERWENT-WEEK: 200464

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Sustained release composition useful for treating, e.g. depression or sexual dysfunction, comprises fluoxetine salt and a carrier

INVENTOR: CAMPBELL, P S; CORMIER, M J N ; GALE, R M ; GUPTA, S K ; NELSON, M K

PRIORITY-DATA: 2002US-0302490 (November 22, 2002), 1996US-021727P (July 15, 1996),

1997US-038425P (February 19, 1997), 1997US-0892118 (July 14, 1997)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES MAIN-IPC

US 20030166624 A1

September 4, 2003

021

A61K031/573

INT-CL (IPC): A61 K 31/137; A61 K 31/573

ABSTRACTED-PUB-NO: US20030166624A

BASIC-ABSTRACT:

NOVELTY - A sustained release composition comprises fluoxetine salt and a carrier. The fluoxetine is released at the rate of 250-3200 micro g/hr during an administration for at least 12 hours to achieve and maintain blood or plasma levels throughout administration period.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:

- (1) a device (D1) for the transdermal administration of fluoxetine comprising:
- (a) a reservoir (a1) containing salt of fluoxetine;
- (b) a backing (b2) behind the body contacting distal surface of (a1); and
- (c) device (c1) for maintaining (a1) in fluoxetine transmitting relation with a body surface or membrane. The device has a surface area defining an area of fluoxetine delivery of less than 60 cm2;
- (2) a device (D2) for the transdermal administration of fluoxetine comprises:
- (a) a first reservoir (a2) containing fluoxetine,
- (b) a second reservoir (b2) containing an excess of fluoxetine salt at or below saturation when in equilibrium with (a2),
- (c) a rate-controlling membrane (c2) between the (a2) and (b2),
- (d) a backing (d2) behind the body contacting-distal surface of the second reservoir, and
- (e) device (e2) for maintaining (a2) and (b2) in fluoxetine-transmitting relation with a body surface or membrane; and
- (3) transdermal administration of a drug having a half-life of greater than 24 hours involving:
- (a) administering the drug to an area of skin in a carrier to permit sustained release of the drug at a rate through the skin during a first predetermined period of time to provide blood or plasma levels of the drug;
- (b) removing the drug and carrier from the area of skin for a second predetermined period of time of at least 20 hours where no additional drug is applied to the skin during the second predetermined time period;
- (c) repeating steps (a) and (b) for as long as drug therapy is desired, where blood or plasma levels of the drug are achieved during the first predetermined time period and maintained during the second predetermined period and continued.

ACTIVITY - Antidepressant; Endocrine-Gen.

No biological data given.

MECHANISM OF ACTION - None given.

USE - The composition is used for sustained release of drug (e.g. fluoxetine, norfluoxetine) (claimed) useful for treating depression, sexual dysfunction, avoiding unwanted adverse toxic or psychological effects.

ADVANTAGE - The fluoxetine is released at the rate of 250-3200 (preferably 400-1200) micro g/hr during an administration for at least 12 hours to achieve and maintain blood or plasma levels throughout administration.

The composition is safe and has reduced skin irritation levels.

						······			
Full Titl	e Citation	Front	Review Cla	ssitication	Date	Reference	Claims	KOMO	Oram De
2.0	-								

9. Document ID: CN 1499962 A, WO 200269942 A1, EP 1366762 A1, KR 2003080070 A, BR 200207955 A, AU 2002236252 A1, <u>US 20040096491 A1</u>, JP 2002569120 X

L9: Entry 9 of 14

File: DWPI

May 26, 2004

DERWENT-ACC-NO: 2002-732771

DERWENT-WEEK: 200458

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Adhesive patch for administering drugs contains acrylic polymer containing no carboxyl or hydroxyl groups and a rubbery polymer as pressure sensitive adhesive base

INVENTOR: HIGO, N; TATEISHI, T; TERAHARA, T

PRIORITY-DATA: 2001JP-0063767 (March 7, 2001)

PATENT-FAMILY:

111111111111111111111111111111111111111				
PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
CN 1499962 A	May 26, 2004		000	A61K009/70
WO 200269942 A1	September 12, 2002	J	038	A61K009/70
EP 1366762 A1	December 3, 2003	E	000	A61K009/70
KR 2003080070 A	October 10, 2003		000	A61K009/70
BR 200207955 A	February 25, 2004		000	A61K009/70
AU 2002236252 A1	September 19, 2002		000	A61K009/70
US 20040096491 A1	May 20, 2004		000	A61K009/70
JP 2002569120 X	July 2, 2004		000	A61K009/70

INT-CL (IPC): A61 K 9/70; A61 K 31/216; A61 K 31/48; A61 K 47/32; A61 P 13/00; A61 P 25/16

ABSTRACTED-PUB-NO: WO 200269942A


BASIC-ABSTRACT:

NOVELTY - Adhesive patch comprises (i) a pressure-sensitive adhesive layer comprising (a) a pressure sensitive adhesive base comprising an acrylic polymer containing no carboxyl or hydroxyl groups and a rubbery polymer; and (b) a drug; on

(ii) a substrate.

USE - As an adhesive patch for administering drugs (preferably pergolide or oxybutynin).

ADVANTAGE - Gives stable percutaneous administration at a sufficiently high level.



DERWENT-ACC-NO: 2002-302991

DERWENT-WEEK: 200234

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Device useful in contact immunotherapy comprises a standardized dosage of a contactant that causes dermatitis e.g. dinitrochlorobenzene or nickel sulfate, a shroud enclosing the contactant and an adhesive associated with the shroud

INVENTOR: HOPP, R B

PRIORITY-DATA: 2001US-0768156 (January 25, 2001), 1996US-0717108 (September 20, 1996), 1998US-0095700 (June 8, 1998)

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 US 20010051182 A1
 December 13, 2001
 015
 A61K039/35

INT-CL (IPC): A61 \times 9/70; A61 \times 39/35

ABSTRACTED-PUB-NO: US20010051182A

BASIC-ABSTRACT:

NOVELTY - A device comprises a standardized dosage of a contactant dermatitis in human skin, a shroud enclosing the contactant and an adhesive associated with the shroud for temporarily and releasably attaching the shroud to a patient such that the contactant is in contact with the skin to induce contact dermatitis.

DETAILED DESCRIPTION - A device comprises a standardized dosage of a contactant dermatitis in human skin, a shroud enclosing the contactant and an adhesive associated with the shroud for temporarily and releasably attaching the shroud to a patient such that the contactant is in contact with the skin to induce contact dermatitis.

An INDEPENDENT CLAIM is included for treating medical conditions in a patient responsive to contact immunotherapy involving (i) adhesively applying the device to the patient's skin with no medication to alleviate the contact dermatitis; (ii) maintaining the device adjacent to the skin to intentionally induce contact dermatitis and then removing the device; and reapplying additional devices containing the contactant at a predetermined interval to maintain the contact dermatitis until the medical condition is resolved.

ACTIVITY - Virucide; Anti-HIV; Anti-fungal; Cytostatic; Dermatological.

MECHANISM OF ACTION - None given.

USE - The device is useful for the topical administration of controlled quantities of the contactant that induces a contact dermatitis to a patient e.g. human suffering from medical conditions (e.g. papilloma virus, alopecia areata, vitiligo and AIDS) responsive to contact immunotherapy (claimed). Also for treating warts, treatment of other cutaneous viral infections e.g. Molluscum contagiosum, Herpes simplex, and Herpes Zoster; chronic cutaneous fungal infections such as Dermatophyte infection and mycetoma; and skin malignancies such as basal cell carcinoma, squamous cell carcinoma and melanoma.

ADVANTAGE - The delivery system includes the advantages such as standardized dosing; safety from unintended exposure to the contactant; ease of use by ancillary medical personnel; localization of the contactant to the treatment area; and stabilized storage form. It also includes provision of a dye to mark the treatment area, increased penetration of the contactant established by hydration and occlusion of the skin; and ability to use penetration enhancer in combination with the contactant to increase the permeability of the contactant. The method of application for the contactant by the device becomes standardized and reproducible, and is no longer dependent on the individual who is applying the contactant. The system will facilitate studies to determine optimum rates of release of contactant and to measure the exposure times that yield optimal treatment results.

DESCRIPTION OF DRAWING(S) - The figure shows a schematic sectional view of a skin patch i.e. a single reservoir delivery device.

shroud 10

adhesive flange 11

containment chamber 12

gel matrix 13

paper discs 14

covering rupturable membrane 15

release liner. 16

Full Title Citation Front Review Classification Date Reference Conjunctivity Allegation Claims KMC Draw, De

11. Document ID: <u>US 20030198662 A1</u>, WO 200119352 A1, AU 200075760 A, EP 1216036 A1

L9: Entry 11 of 14

File: DWPI

Oct 23, 2003

DERWENT-ACC-NO: 2001-257839

DERWENT-WEEK: 200370

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Composition for transdermal administration of guanidine compound useful for preventing neuropathic pain includes carrier to permit sustained release

INVENTOR: BRANDWEIN, D H; GALE, R M; PADMANABHAN, R; SUNRAM, J; VAN OSDOL, W W

PRIORITY-DATA: 1999US-153996P (September 15, 1999), 2000US-0658649 (September 8,

2000), 2003US-0412104 (April 11, 2003)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
US 20030198662 A1	October 23, 2003		000	A61K009/70
WO 200119352 A1	March 22, 2001	E	038	A61K009/70
AU 200075760 A	April 17, 2001		000	A61K009/70
EP 1216036 A1	June 26, 2002	E	000	A61K009/70

INT-CL (IPC): $\underline{A61} \times \underline{9/70}$; $\underline{A61} \times \underline{31/155}$

ABSTRACTED-PUB-NO: WO 200119352A

BASIC-ABSTRACT:

NOVELTY - Composition comprises an $N-(2,5-disubstituted\ phenyl)-N'-(3-substituted-phenyl)-N'-methyl guanidine (I) or its salts in a carrier to permit sustained release of the compound.$

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is included for

a device for the transdermal administration of a therapeutic agent which comprises:

- (a) a reservoir comprising an N-(2,5-disubstituted phenyl)-N'-(3-substitut-ed phenyl)-N'-methyl guanidine (I) or its salts;
- (b) a backing behind the body distal surface of the reservoir, and
- (c) means for maintaining the reservoir in therapeutic agent transmitting relation with a body surface or membrane, in which a therapeutic effective amount of guanidine is delivered at an effective rate during an administration period in order to achieve and maintain therapeutic blood or plasma levels throughout a substantial portion of the administration period.

ACTIVITY - Analgesic; neuroprotective.

MECHANISM OF ACTION - None given.

USE - Used for treatment of neuropathic pain, neuropsychological deficits resulting from cardiac surgery and other neurological disorders.

ADVANTAGE - (I) Can be safely and efficaciously administered by a sustained release formulation.

DESCRIPTION OF DRAWING(S) - The drawing shows a cross-section view of a transdermal administration device (30).

Delivery device 30

Reservoir 12

Contact adhesive layer 16

Backing 14

Removable release liner 24

Enhancer reservoir 26

Rate controlling membrane 28

Full	Title	Citation Front	Review	Classification	Date	Reference			Claims	KOMC	Drawn De
	***************************************			······································	·				······································		······································
	12.	Document II): NZ :	513441 A,	WO 2	0004579	0 A2, AU 2	00034816	A, NO 2	200103	861

12. Document ID: NZ 513441 A, WO 200045790 A2, AU 200034816 A, NO 200103861 A, EP 1152749 A2, KR 2001101842 A, CN 1339962 A, HU 200200202 A2, JP 2002536315 W, ZA 200106443 A, <u>US 20030108609 A1</u>, MX 2001008006 A1

L9: Entry 12 of 14

File: DWPI

Jan 30, 2004

DERWENT-ACC-NO: 2000-532854

DERWENT-WEEK: 200414

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Stable non-aqueous single phase viscous vehicles and formulations comprising them, for extended delivery of peptides, proteins, nucleotides, hormone, viruses or antibodies

INVENTOR: BERRY, S A; DEHNAD, H ; FEREIRA, P J ; MUCHNIK, A ; FERREIRA, P J

PRIORITY-DATA: 1999US-119170P (February 8, 1999), 2000US-0497422 (February 3, 2000), 2002US-0319277 (December 12, 2002)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
NZ 513441 A	January 30, 2004		000	A61K009/10
WO 200045790 A2	August 10, 2000	E	042	A61K009/10
AU 200034816 A	August 25, 2000		000	A61K009/10
NO 200103861 A	September 20, 2001		000	A61K009/10
EP 1152749 A2	November 14, 2001	E	000	A61K009/10
KR 2001101842 A	November 14, 2001		000	A61K009/10
CN 1339962 A	March 13, 2002		000	A61K009/10
HU 200200202 A2	May 28, 2002		000	A61K009/10
JP 2002536315 W	October 29, 2002		050	A61K009/10
ZA 200106443 A	October 30, 2002		060	A61K000/00
US 20030108609 A1	June 12, 2003		000	A61K009/14
MX 2001008006 A1	February 1, 2002		000	A61K009/10

INT-CL (IPC): $\underline{A61}$ \underline{K} $\underline{0/00}$; $\underline{A61}$ \underline{K} $\underline{9/10}$; $\underline{A61}$ \underline{K} $\underline{9/14}$; $\underline{A61}$ \underline{K} $\underline{38/27}$; $\underline{A61}$ \underline{K} $\underline{38/51}$; $\underline{A61}$ \underline{K} $\underline{47/06}$; $\underline{A61}$ \underline{K} $\underline{47/10}$; $\underline{A61}$ \underline{K} $\underline{47/14}$; $\underline{A61}$ \underline{K} $\underline{47/22}$; $\underline{A61}$ \underline{K} $\underline{47/30}$; $\underline{A61}$ \underline{K} $\underline{47/32}$; $\underline{A61}$ \underline{K} $\underline{47/32}$; $\underline{A61}$ \underline{K}

ABSTRACTED-PUB-NO: WO 200045790A

BASIC-ABSTRACT:

NOVELTY - Suspending beneficial agents in non-aqueous single phase biocompatible viscous vehicles provides stable formulations which can be delivered at body temperature over an extended time at low flow rates.

DETAILED DESCRIPTION - A stable non-aqueous single phase biocompatible viscous vehicle capable of suspending beneficial agents and homogeneously dispensing them

over an extended time at body temperature and low flow rates.

INDEPENDENT CLAIMS are included for formulations comprising the vehicles, their preparation and uses.

USE - For treatment of conditions alleviated by the beneficial agent.

ADVANTAGE - The stability of a beneficial agent is increased by using the vehicle. For example, human growth hormone was found to be stable at 37 deg. C over 12 weeks in formulations of PVP (polyvinylpyrrolidone)/PEG (polyethylene glycol), pluronic and glycerol monolaurate/lauryl lactate/PVP.

T 12 D DE COMMINATE W/O 200004896 A1 AU 0051056 A ED 1100476 A1

Full Title Citation Front Review Classification Date Reference 2000 18 PARCE NOTE: Claims KoMC Draw De

13. Document ID: DE 69918124 E, WO 200004886 A1, AU 9951056 A, EP 1100476 A1, JP 2002521324 W, US 6699497 B1, <u>US 20040057987 A1</u>, EP 1100476 B1

L9: Entry 13 of 14

File: DWPI

Jul 22, 2004

DERWENT-ACC-NO: 2000-171346

DERWENT-WEEK: 200450

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Composition for transdermal administration comprising fenoldopam and a permeation enhancer, useful for treating hypertension, congestive heart failure and particularly renal failure

INVENTOR: CRISOLOGO, N M; VAN OSDOL, W W ; YUM, S I

PRIORITY-DATA: 1998US-094059P (July 24, 1998), 1999US-0361026 (July 23, 1999), 2003US-0675715 (September 29, 2003)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
DE 69918124 E	July 22, 2004		000	A61K009/70
WO 200004886 A1	February 3, 2000	E	041	A61K009/70
AU 9951056 A	February 14, 2000		000	A61K009/70
EP 1100476 A1	May 23, 2001	E	000	A61K009/70
JP 2002521324 W	July 16, 2002		053	A61K031/55
US 6699497 B1	March 2, 2004		000	A61F013/02
US 20040057987 A1	March 25, 2004		000	A61K031/55
EP 1100476 B1	June 16, 2004	E	000	A61K009/70
FL 11004/0 PT	Julie 10, 2004	_		

INT-CL (IPC): A61 F 13/02; A61 K 9/70; A61 K 31/55; A61 P 9/04; A61 P 9/12; A61 P 13/12

ABSTRACTED-PUB-NO: WO 200004886A

BASIC-ABSTRACT:

NOVELTY - Compositions and devices for transdermal administration of fenoldopam (I) comprises (I) and a permeation enhancer.

ACTIVITY - Hypotensive; Cardiant; Nephrotropic.

MECHANISM OF ACTION - None given.

USE - For treating hypertension, congestive heart failure and particularly renal failure.

Full Title Citation Front Review Class	fication Date Reference	ISTORICA Claims KMC Draw De
14. Document ID: US 67403 EP 880564 A1, CN 1211272 A, JP 1 ES 2146083 T3, JP 3091496 B2, AU 20030082122 A1, IL 125779 A	11506155 W, BR 9707499 A, EP 8	880564 B1, DE 69701859 E, 2253223 C, <u>US</u>
1.9. Entry 14 of 14	File: DWPI	May 25, 2004

DERWENT-ACC-NO: 1997-425015

DERWENT-WEEK: 200435

L9: Entry 14 of 14

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Particles of anatase titanium di:oxide, useful as anti-UV agent e.g. in cosmetics, varnishes, paints and plastics - are coated with metallic oxide, hydroxide or oxo:hydroxide, and form stable dispersions without using dispersing agent

INVENTOR: CHOPIN, T; DUPUIS, D; WILLEMIN, C

PRIORITY-DATA: 1996FR-0001850 (February 15, 1996)

PATENT-FAMILY:				
PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
US 6740312 B2	May 25, 2004		000	A61K007/42
WO 9730130 A1	August 21, 1997	F	034	C09D017/00
FR 2744914 A1	August 22, 1997		031	A61K007/40
AU 9718834 A	September 2, 1997		000	C09D017/00
EP 880564 A1	December 2, 1998	F	000	C09D017/00
CN 1211272 A	March 17, 1999		000	C09D017/00
JP 11506155 W	June 2, 1999		038	C09C001/36
BR 9707499 A	July 27, 1999		000	C09D017/00
EP 880564 B1	May 3, 2000	F	000	C09D017/00
DE 69701859 E	June 8, 2000		000	C09D017/00
ES 2146083 T3	July 16, 2000		000	C09D017/00
JP 3091496 B2	September 25, 2000		017	C09C001/36
AU 727150 B	December 7, 2000		000	C09D017/00
RU 2162443 C2	January 27, 2001		000	C01G023/053
CA 2253223 C	January 8, 2002	F	000	C09C001/36
US 20030082122 A1	May 1, 2003		000	A61K007/42
IL 125779 A	September 17, 2003		000	C01G023/053

A1 , IL 125779 A INT-CL (IPC): $\underline{A61}$ \underline{K} $\underline{7/00}$; $\underline{A61}$ \underline{K} $\underline{7/21}$; $\underline{A61}$ \underline{K} $\underline{7/40}$; $\underline{A61}$ \underline{K} $\underline{7/42}$; $\underline{A61}$ К 9/15; A61 к 9/16; C01 G 23/00; C01 G 23/047; C01 G 23/053; C08 к 3/22; C09 C 1/36; C09 D 5/32; C09 D 7/12; C09 D 17/00

ABSTRACTED-PUB-NO: EP 880564B BASIC-ABSTRACT:

Particles of anatase titanium dioxide with a particle size of at most 100 nm are coated at least partially with a layer of at least one metallic oxide, hydroxide or oxohydroxide and have a BET specific surface of at least 70 m2/g and a density of about 2.2.

Preferably the weight ratio of the metal oxides, hydroxides or oxyhydroxides to TiO2 is at most 60 wt.%. The TiO2 is preferably coated with a layer of silica or a hydroxide or oxohydroxide of aluminium in simple or mixed form. A preferable coating layer is of silica and of aluminium hydroxide or oxohydroxide in an amount of 15 wt.% SiO2 and 5% Al2O3 w.r.t. TiO2.

USE - The product is especially useful as an anti-UV agent in the formulation of cosmetics, varnishes, paints and plastics.

ADVANTAGE - The particles form stable dispersions without the use of a dispersing agent. ABSTRACTED-PUB-NO:

WO 9730130A EQUIVALENT-ABSTRACTS:

Particles of anatase titanium dioxide with a particle size of at most 100 nm are coated at least partially with a layer of at least one metallic oxide, hydroxide or oxohydroxide and have a BET specific surface of at least 70 m2/g and a density of about 2.2.

Preferably the weight ratio of the metal oxides, hydroxides or oxyhydroxides to TiO2 is at most 60 wt.%. The TiO2 is preferably coated with a layer of silica or a hydroxide or oxohydroxide of aluminium in simple or mixed form. A preferable coating layer is of silica and of aluminium hydroxide or oxohydroxide in an amount of 15 wt.% SiO2 and 5% Al2O3 w.r.t. TiO2.

USE - The product is especially useful as an anti-UV agent in the formulation of cosmetics, varnishes, paints and plastics.

ADVANTAGE - The particles form stable dispersions without the use of a dispersing agent.

Generate Collection Print Fwd Refs Bkwd Re	efs Generate
Term	Documents
US-20040096491\$	0
US-20040096491-A1	2
US-20040057987\$	0
US-20040057987-A1	2
US-20030198662\$	0
US-20030198662-A1	2
US-20030166624\$	0

US-20030166624-A1	2
US-20030108609\$	0
US-20030108609-A1	2
(US-20040096491\$.DID. OR US-20040057987\$.DID. OR US-20030198662\$.DID. OR US-20030166624\$.DID. OR US-20030108609\$.DID. OR US-20030082122\$.DID. OR US-20010051182\$.DID.).PGPB,USPT,USOC,EPAB,JPAB,DWPI.	14

There are more results than shown above. Click here to view the entire set.

Display Format:	-	Change Format
Previous Page	Next Pa	age Go to Doc#

WEST Search History

Hide Items Restore Clear Cancel

DATE: Monday, October 25, 2004

DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI; PLUR=YES; OP=ADJ □ L14 L13 and L8 12 □ L13 L9 and L11 and L12 17 □ L12 lauryl lactate 746 □ L11 glycerol monolaurate 1121 □ L10 L9 and L8 13 □ L9 polysorbate or polyvinylpyrrolidone 69984 □ L8 L7 or L3 40 US-20040096491\$.did. or US-20040057987\$.did. or US-20030198662\$.did. or US-20030108609\$.did. or US-20030082122\$.did. or US-2003108609\$.did. or US-20030082122\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or OS-2003108609\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or OS-2003108609\$.did. or US-2003108609\$.did. or US-2003	Hide?	<u>Set</u> Nam <u>e</u>	Query	<u>Hit</u> Count
□ L14 L19 and L11 and L12 17 □ L12 lauryl lactate 746 □ L11 glycerol monolaurate 1121 □ L10 L9 and L8 13 □ L9 polysorbate or polyvinylpyrrolidone 69984 □ L8 L7 or L3 40 □ US-20040096491\$.did. or US-20040057987\$.did. or US-20030198662\$.did. or US-20010051182\$.did. or US-20030108609\$.did. or US-20030082122\$.did. or US-20010051182\$.did. 14 □ L5 and higo.inv. 10 □ L5 and higo.inv. 10 □ L5 (adhesive adj patch).ti. 229 □ L4 Tateishi.in. 4778 □ US-2004096491\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003198669\$.did. or US-2003198662\$.did. or US-2003198669\$.did. or US-2003198669\$.did. or US-2003198662\$.did. or US-2004096491\$.did. or US-2004096491\$.did. or US-2004096491\$.did. or US-2004096491\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-200318669\$.did. or US-200318669\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-200318669\$.did. or US-2003166624\$.did. or US-200310809\$.did. or US-2003198669\$.did. or US-2003198669\$.did. or OS-2003198662\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6187438.pn. or 6365178.pn. or US-2001051182\$.did.		DB=I	PGPB, USPT, USOC, EPAB, JPAB, DWPI; PLUR=YES; OP=ADJ	
□ L12 lauryl lactate 746 □ L11 glycerol monolaurate 1121 □ L10 L9 and L8 13 □ L9 polysorbate or polyvinylpyrrolidone 69984 □ L8 L7 or L3 40 US-20040096491\$.did. or US-20040057987\$.did. or US-20030198662\$.did. or US-20030108609\$.did. or US-20030082122\$.did. or US-20010051182\$.did. 14 □ L5 and higo.inv. 10 □ L5 (adhesive adj patch).ti. 229 □ L4 Tateishi.in. 4778 US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. 28 □ L2 2003082122\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003198609\$.did. or US-2003198602\$.did. or US-2003198609\$.did. or US-2003198609\$.did. or US-2003198609\$.did. or US-2003198609\$.did. or US-2003198609\$.did. or US-2003198609\$.did. or US-2003198602\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. 13 □ L2 06365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. 13 <td></td> <td>L14</td> <td>L13 and L8</td> <td>12</td>		L14	L13 and L8	12
□ L11 glycerol monolaurate 1121 □ L10 L9 and L8 13 □ L9 polysorbate or polyvinylpyrrolidone 69984 □ L8 L7 or L3 40 □ US-20040096491\$.did. or US-20040057987\$.did. or US-20030198662\$.did. or US-20030082122\$.did. or US-20010051182\$.did. 14 □ L5 (adhesive adj patch).ti. 229 □ L5 (adhesive adj patch).ti. 4778 □ L4 Tateishi.in. 4778 □ US-2004096491\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or OS-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 5843468.pn. 28 □ DB=USPT; PLUR=YES; OP=ADJ US-2004096491\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn.		L13	L9 and L11 and L12	17
□ L10 L9 and L8 13 □ L9 polysorbate or polyvinylpyrrolidone 69984 □ L8 L7 or L3 40 □ US-20040096491\$.did. or US-20040057987\$.did. or US-20030198662\$.did. or US-20030166624\$.did. or US-20030108609\$.did. or US-20030082122\$.did. or US-20010051182\$.did. 14 □ L6 L5 and higo.inv. 10 □ L5 (adhesive adj patch).ti. 229 □ L4 Tateishi.in. 4778 □ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn. or US-2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 5843468.pn. 28 □ DB=USPT; PLUR=YES; OP=ADJ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn or US-2003198662\$.did. or US-2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003847.pn. or 6365178.pn. or 6740312.pn. or 6517866.pn. or 5912009.pn. or		L12	lauryl lactate	746
□ L9 polysorbate or polyvinylpyrrolidone 69984 □ L8 L7 or L3 40 □ US-20040096491\$.did. or US-20040057987\$.did. or US-20030198662\$.did. or US-20030166624\$.did. or US-20030108609\$.did. or US-20030082122\$.did. or US-20010051182\$.did. 14 □ L6 L5 and higo.inv. 10 □ L5 (adhesive adj patch).ti. 229 □ L4 Tateishi.in. 4778 □ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or S417227.pn. or 6365178.pn. or 6004578.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. 28 □ DB=USPT; PLUR=YES; OP=ADJ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn or US-2003198662\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-200318665178.pn. or 6635178.pn. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. 13		L11	glycerol monolaurate	1121
□ L8 L7 or L3 40 □ US-20040096491\$.did. or US-20040057987\$.did. or US-20030198662\$.did. or US-20030166624\$.did. or US-20030108609\$.did. or US-20030082122\$.did. or US-20010051182\$.did. 14 □ L7 US-20010051182\$.did. 10 □ L5 (adhesive adj patch).ti. 229 □ L4 Tateishi.in. 4778 □ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn. or US-2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. 28 □ DB=USPT; PLUR=YES; OP=ADJ US-2004096491\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn.		L10	L9 and L8	13
US-20040096491\$.did. or US-20040057987\$.did. or US-20030198662\$.did. or US-20030166624\$.did. or US-20030108609\$.did. or US-20030082122\$.did. or US-20010051182\$.did. □ L6 L5 and higo.inv. 10 □ L5 (adhesive adj patch).ti. 229 □ L4 Tateishi.in. 4778 □ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn. or US-2003198662\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. □ DB=USPT; PLUR=YES; OP=ADJ □ US-2004096491\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or OS-2003166624\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or OS-2003108609\$.did. or US-2003198662\$.did. or OS-2003108609\$.did. or US-2003198662\$.did. or OS-2003108609\$.did. or US-2003198662\$.did. or OS-2003108609\$.did. or US-200310812\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn.	· □	L9	polysorbate or polyvinylpyrrolidone	69984
 □ L7 US-20030166624\$.did. or US-20030108609\$.did. or US-20030082122\$.did. or US-20010051182\$.did. □ L6 L5 and higo.inv. 10 □ L5 (adhesive adj patch).ti. 229 □ L4 Tateishi.in. 4778 □ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn. or US-2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. □ DB=USPT; PLUR=YES; OP=ADJ □ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn or US-2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. 		L8	L7 or L3	40
 L5 (adhesive adj patch).ti. L5 (adhesive adj patch).ti. L4 Tateishi.in. US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn. or US-2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. DB=USPT; PLUR=YES; OP=ADJ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn or US-2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003198662\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. 		L7	US-20030166624\$.did. or US-20030108609\$.did. or US-20030082122\$.did. or	14
 L4 Tateishi.in. 4778 US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn. or US-2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. DB=USPT; PLUR=YES; OP=ADJ		L6	L5 and higo.inv.	10
US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn. or US- 2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US- 2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. DB=USPT; PLUR=YES; OP=ADJ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn or US- 2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US- 2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn.		L5	(adhesive adj patch).ti.	229
L3 2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn. DB=USPT; PLUR=YES; OP=ADJ US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn or US-2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn.		L4	Tateishi.in.	4778
US-2004096491\$.did. or US-2004057987\$.did. or 6699497.pn or US-2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn.		L3	2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or	28
L2 2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn. or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or 5843468.pn.		DB=		
•		L2	2003198662\$.did. or US-2003166624\$.did. or US-2003108609\$.did. or US-2003082122\$.did. or 6740312.pn. or 6517866.pn. or 6512010.pn. or 6417227.pn or 6365178.pn. or US-2001051182\$.did. or 6267984.pn. or 6203817.pn. or 6187438.pn. or 6004578.pn. or 5928666.pn. or 5912009.pn. or 5814323.pn. or	13
		L1	•	1

END OF SEARCH HISTORY

ANSWER 1 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2004:126512 USPATFULL

TITLE:

Adhesive patch

INVENTOR(S):

Tateishi, Tetsuro, Tsukuba-shi, JAPAN Terahara, Takaaki, Tsukuba-shi, JAPAN Higo, Naruhito, Tsukuba-shi, JAPAN

	NUMBER	KIND	DATE	
PATENT INFORMATION: APPLICATION INFO.:	US 2004096491 US 2003-469612 WO 2002-JP2142	A1 A1	20040520 20030904 20020307	(10)

NUMBER DATE ______ JP 2001-63767 20010307

PRIORITY INFORMATION:

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE: FITCH EVEN TABIN AND FLANNERY, 120 SOUTH LA SALLE

STREET, SUITE 1600, CHICAGO, IL, 60603-3406

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

1111

LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A patch agent of the present invention comprises a support, and an adhesive layer laid on the support and containing an adhesive base and a drug, wherein the adhesive base contains an acrylic polymer substantially having no carboxyl and no hydroxyl in molecules thereof, and a rubber-based polymer, so as to achieve sufficiently high skin permeability of the drug and preparation properties. Accordingly, the present invention enables administration of the drug through skin to be implemented with drug administration effect at a sufficiently high level and on a stable basis.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 2 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2004:76209 USPATFULL

TITLE:

Novel formulations for the transdermal administration

of fenoldopam

INVENTOR(S):

van Osdol, William W., Mountain View, CA, UNITED STATES

Crisologo, Nieves M., Sunnyvale, CA, UNITED STATES

Yum, Su Il, Los Altos, CA, UNITED STATES

NUMBER KIND DATE _____ US 2004057987 A1 20040325 US 2003-675715 A1 20030929 (10)

APPLICATION INFO.:
RELATED APPLICATION

Continuation of Ser. No. US 1999-361026, filed on 23

Jul 1999, PENDING

NUMBER DATE _____

PRIORITY INFORMATION:

US 1998-94059P 19980724 (60)

DOCUMENT TYPE:

Utility

FILE SEGMENT: LEGAL REPRESENTATIVE:

APPLICATION PHILIP S. JOHNSON, JOHNSON & JOHNSON, ONE JOHNSON &

JOHNSON PLAZA, NEW BRUNSWICK, NJ, 08933-7003

NUMBER OF CLAIMS: 36

EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 6 Drawing Page(s)
LINE COUNT: 1028

LINE COUNT:

1028

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Composition of matter for application to a body surface or membrane to administer fenoldopam by permeation through the body surface or membrane, the composition comprising fenoldopam to be administered, at a therapeutically effective rate, in combination with a permeation enhancer or mixture. Also disclosed are drug delivery devices and methods for the transdermal administration of fenoldopam for the treatment of hypertension, congestive heart failure, and chronic and

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 3 OF 24 USPATFULL on STN

acute renal failure.

ACCESSION NUMBER: 2004:53248 USPATFULL

TITLE:

Formulations for the transdermal administration of

fenoldopam

INVENTOR(S):

van Osdol, William W., Mountain View, CA, United States

Crisologo, Nieves M., Sunnyvale, CA, United States

Yum, Su Il, Los Altos, CA, United States

PATENT ASSIGNEE(S):

Alza Corporation, Palo Alto, CA, United States (U.S.

corporation)

NUMBER KIND DATE _____

PATENT INFORMATION: APPLICATION INFO.:

US 6699497 B1 20040302 US 1999-361026 19990723 19990723 (9)

NUMBER DATE -----

PRIORITY INFORMATION: US 1998-94059P 19980724 (60)

DOCUMENT TYPE: Utility

FILE SEGMENT: GRANTED
PRIMARY EXAMINER: Dodson, Shelley A.

LEGAL REPRESENTATIVE: Date, Vandana

NUMBER OF CLAIMS: 34

EXEMPLARY CLAIM: NUMBER OF DRAWINGS:

11 Drawing Figure(s); 6 Drawing Page(s)

LINE COUNT:

1000

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Composition of matter for application to a body surface or membrane to administer fenoldopam by permeation through the body surface or membrane, the composition comprising fenoldopam to be administered, at a therapeutically effective rate, in combination with a permeation enhancer or mixture. Also disclosed are drug delivery devices and methods for the transdermal administration of fenoldopam for the treatment of hypertension, congestive heart failure, and chronic and acute renal failure.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 4 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2003:282321 USPATFULL

TITLE:

Transdermal administration of N-(2,5-disubstituted

phenyl) -N' - (3-substituted phenyl) -N' -methyl guanidines

INVENTOR(S):

Van Osdol, William Woodson, Mountain View, CA, UNITED

STATES

Gale, Robert Martin, Los Altos, CA, UNITED STATES Brandwein, David Henry, New Brighton, MN, UNITED STATES Padmanabhan, Rama, Los Altos, CA, UNITED STATES Sunram, Joan, Coon Rapids, MN, UNITED STATES

NUMBER KIND DATE ______

PATENT INFORMATION: APPLICATION INFO.:

US 2003198662 A1 20031023 US 2003-412104 A1 20030411 (10)

RELATED APPLN. INFO.:

Continuation of Ser. No. US 2000-658649, filed on 8 Sep

2000, ABANDONED

NUMBER DATE -----

PRIORITY INFORMATION:

US 1999-153996P 19990915 (60)

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

JOHNSON & JOHNSON ONE JOHNSON & JOHNSON, ONE JOHNSON & JOHNSON PLAZA, NEW BRUNSWICK, NJ, 08933-7003 LEGAL REPRESENTATIVE: AUDLEY A. CIAMPORCERO JR., JOHNSON & JOHNSON, ONE

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 3 Drawing Page(s)

LINE COUNT:

1038

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Composition of matter for application to a body surface or membrane to administer a N-(2,5-Disubstituted phenyl)-N'-(3-substituted phenyl)-N'-methyl guanidine by permeation through the body surface or membrane, the composition comprising the quanidine compound to be administered, at a therapeutically effective rate, optionally in combination with a permeation enhancer or mixture. Also disclosed are drug delivery devices and methods for the transdermal administration of a guanidine for the prevention of neuropathic pain, neuropsychological deficits resulting from cardiac surgery (CABG), and other neurological disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 5 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2003:238466 USPATFULL

TITLE:

Novel formulations for the administration of fluoxetine

Gale, Robert M., Los Altos, CA, UNITED STATES INVENTOR(S):

Nelson, Melinda K., Sunnyvale, CA, UNITED STATES Cormier, Michel J.N., Mountain View, CA, UNITED STATES

Gupta, Suneel K., Sunnyvale, CA, UNITED STATES

Campbell, Patricia S., Palo Alto, CA, UNITED STATES

NUMBER KIND DATE US 2003166624 A1 20030904 US 2002-302490 A1 20021122 (10)

PATENT INFORMATION: APPLICATION INFO.: RELATED APPLN. INFO.:

Continuation of Ser. No. US 1997-892118, filed on 14

Jul 1997, GRANTED, Pat. No. US 6512010

NUMBER

PRIORITY INFORMATION:

US 1996-21727P 19960715 (60) US 1997-38425P 19970219 (60)

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE: ALZA CORPORATION, P O BOX 7210, INTELLECTUAL PROPERTY

DEPARTMENT, MOUNTAIN VIEW, CA, 940397210

NUMBER OF CLAIMS:

EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 6 Drawing Page(s)

LINE COUNT:

1330

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Composition of matter for application to a body surface or membrane to administer fluoxetine by permeation through the body surface or membrane, the composition comprising fluoxetine to be administered, at a therapeutically effective rate, alone or in combination with a permeation enhancer or mixture. A preferred embodiment is directed to the transdermal administration of fluoxetine at reduced skin irritation levels wherein fluoxetine, preferably provided as fluoxetine acetate, is coadministered with a corticosteroid such as hydrocortisone. Also disclosed are drug delivery devices containing the fluoxetine or fluoxetine and enhancer composition and methods for the transdermal administration of the fluoxetine and fluoxetine/enhancer composition.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 6 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2003:158996 USPATFULL

TITLE:

Stable non-aqueous single phase viscous vehicles and

formulations utilizing such vehicles

INVENTOR(S):

Berry, Stephen A., Hollister, CA, UNITED STATES Fereira, Pamela J., Redwood City, CA, UNITED STATES

Dehnad, Houdin, El Granada, CA, UNITED STATES Muchnik, Anna, Belmont, CA, UNITED STATES

NUMBER KIND DATE -----

RELATED APPLN. INFO.:

PATENT INFORMATION: US 2003108609 A1 20030612 APPLICATION INFO.: US 2002-319277 A1 20021212 (10)

Continuation of Ser. No. US 2000-497422, filed on 3 Feb

2000, ABANDONED

NUMBER DATE _____

PRIORITY INFORMATION:

US 1999-119170P 19990208 (60)

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE: ALZA CORPORATION, P O BOX 7210, INTELLECTUAL PROPERTY

DEPARTMENT, MOUNTAIN VIEW, CA, 940397210

NUMBER OF CLAIMS: 38
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 8 Drawing Page(s)

948

LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

This invention relates to stable non-aqueous single phase viscous vehicles and to formulations utilizing such vehicles. The formulations comprise at least one beneficial agent uniformly suspended in the vehicle. The formulation is capable of being stored at temperatures ranging from cold to body temperature for long periods of time. The formulations are capable of being uniformly delivered from drug delivery systems at an exit shear rate of between about 1 to 1+10.sup.-7 reciprocal second.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 7 OF 24 USPATFULL on STN

ACCESSION NUMBER: 2003:119638 USPATFULL

TITLE:

Titanium dioxide particles

INVENTOR(S):

Chopin, Thierry, Saint-Leu-la-Foret, FRANCE Dupuis, Dominique, Deuil-la-Barre, FRANCE

Willemin, Claudie, Paris, FRANCE

NUMBER KIND DATE ______ US 2003082122 A1 20030501 US 6740312 B2 20040525 US 2002-172499 A1 20020617 (10) PATENT INFORMATION:

APPLICATION INFO .: RELATED APPLN. INFO.:

Continuation of Ser. No. US 1998-117935, filed on 13 Oct 1998, ABANDONED A 371 of International Ser. No. WO

1997-FR266, filed on 12 Feb 1997, UNKNOWN

NUMBER DATE _____ FR 1996-1850 19960215

PRIORITY INFORMATION:

Utility

DOCUMENT TYPE: FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE: Norman H. Stepno, BURNS, DOANE, SWECKER & MATHIS,

L.L.P., P.O. Box 1404, Alexandria, VA, 22313-1404

NUMBER OF CLAIMS: 17 EXEMPLARY CLAIM: LINE COUNT: 1059

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Anatase titanium dioxide particles no larger than 100 nm and coated with a layer of a metal oxide, hydroxide or oxohydroxide, said particles having a BET specific surface area of at least 70 m.sup.2/g and a density of around 2.2. A method for preparing said particles, and the use thereof as an anti-UV agent, in particular for preparing

formulations for cosmetics, varnishes, paints and plastics, are also

disclosed.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 8 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2003:40433 USPATFULL

TITLE:

Sertraline salts and sustained-release dosage forms of

sertraline

INVENTOR(S):

Am Ende, Mary Tanya, Griswold, CT, United States Curatolo, William John, Niantic, CT, United States Friedman, Hylar Lewis, Brattleboro, VT, United States

Friesen, Dwayne Thomas, Bend, OR, United States Herbig, Scott Max, East Lyme, CT, United States Shankar, Ravi Mysore, Groton, CT, United States West, James Blair, Bend, OR, United States

PATENT ASSIGNEE(S):

Pfizer Inc., New York, NY, United States (U.S.

corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION: US	6517866	B1	20030211	
WO	9901121		19990114	
APPLICATION INFO.: US	1999-380897		19990907	(9)
WO	1998-IB934		19980615	

DATE NUMBER -----US 1997-51498P 19970701 (60) US 1997-51420P 19970701 (60) US 1997-51414P 19970701 (60) US 1997-51402P 19970701 (60) PRIORITY INFORMATION: DOCUMENT TYPE: Utility GRANTED FILE SEGMENT: PRIMARY EXAMINER: Spear, James M. LEGAL REPRESENTATIVE: Richardson, Peter C., Benson, Gregg C., O'Gorman, Carmella A. NUMBER OF CLAIMS: 116 EXEMPLARY CLAIM: 1 6 Drawing Figure(s); 6 Drawing Page(s) NUMBER OF DRAWINGS: LINE COUNT: 5178 CAS INDEXING IS AVAILABLE FOR THIS PATENT. Sustained release dosage forms of sertraline which release sertraline at a rate between 1 mgA/hr and 40 mgA/hr. The dosage forms may exhibit an initial delay period during which sertraline is released at a rate less than 1 mgA/hr. CAS INDEXING IS AVAILABLE FOR THIS PATENT. ANSWER 9 OF 24 USPATFULL on STN ACCESSION NUMBER: 2003:26372 USPATFULL TITLE: Formulations for the administration of fluoxetine INVENTOR(S): Gale, Robert M., Los Altos, CA, United States Nelson, Melinda K., Sunnyvale, CA, United States Cormier, Michel J. N., Mountain View, CA, United States Gupta, Suneel K., Sunnyvale, CA, United States Campbell, Patricia S., Palo Alto, CA, United States PATENT ASSIGNEE(S): Alza Corporation, Mountain View, CA, United States (U.S. corporation) NUMBER KIND DATE PATENT INFORMATION: US 6512010 B1 20030128 US 1997-892118 19970714 19970714 (8) APPLICATION INFO.: NUMBER DATE US 1996-21727P 19960715 (60) US 1997-38425P 19970219 (60) PRIORITY INFORMATION: DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED PRIMARY EXAMINER: Dees, Jose' G. LEGAL REPRESENTATIVE: Date, Vandana NUMBER OF CLAIMS: 34 EXEMPLARY CLAIM: NUMBER OF DRAWINGS: 10 Drawing Figure(s); 7 Drawing Page(s) LINE COUNT: 1244 CAS INDEXING IS AVAILABLE FOR THIS PATENT. Composition of matter for application to a body surface or membrane to administer fluoxetine by permeation through the body surface or membrane, the composition comprising fluoxetine to be administered, at a therapeutically effective rate, alone or in combination with a permeation enhancer or mixture. A preferred embodiment is directed to the transdermal administration of fluoxetine at reduced skin irritation

levels wherein fluoxetine, preferably provided as fluoxetine acetate, is coadministered with a corticosteroid such as hydrocortisone. Also disclosed are drug delivery devices containing the fluoxetine or fluoxetine and enhancer composition and methods for the transdermal administration of the fluoxetine and fluoxetine/enhancer composition.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 10 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2002:314414 USPATFULL

TITLE: INVENTOR(S):

Methods of delivery of cetyl myristoleate Lord, Gary, Sparks, NV, UNITED STATES Lytle, Carol, Reno, NV, UNITED STATES

CG and Associates, Sparks, NV (U.S. corporation) PATENT ASSIGNEE(S):

> NUMBER KIND DATE _____

PATENT INFORMATION:

US 2002176887 A1 20021128 US 2002-189579 A1 20020708 (10)

RELATED APPLN. INFO.:

Division of Ser. No. US 1999-299903, filed on 28 Apr

1999, GRANTED, Pat. No. US 6417227

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE:

BANNER & WITCOFF, 1001 G STREET N W, SUITE 1100,

WASHINGTON, DC, 20001

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

27

1 686

LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention provides novel and advantageous delivery devices for compositions of cetyl myristoleate. The delivery devices include transdermal delivery devices, suppositories, enteric coatings, and microencapsulation. Further provided are methods of treating diseases using the disclosed delivery devices. Diseases that can be treated with the devices include, but are not limited to, diseases associated with the inflammation of tissues, diseases associated with inflammatory conditions affecting joints, and autoimmune diseases.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 11 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2002:168256 USPATFULL

TITLE: INVENTOR(S): Methods of delivery of cetyl myristoleate Lord, Gary R., Sparks, NV, United States Lytle, Carol D., Reno, NV, United States

PATENT ASSIGNEE(S):

CG and Associates, Sparks, NV, United States (U.S.

corporation)

NUMBER KIND DATE

PATENT INFORMATION:

US 6417227 B1 20020709 US 1999-299903 19990428

APPLICATION INFO.:

19990428 (9)

DOCUMENT TYPE: FILE SEGMENT:

Utility GRANTED

PRIMARY EXAMINER: LEGAL REPRESENTATIVE:

Williamson, Michael A. Banner & Witcoff, Ltd.

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

12

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT:

610

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention provides novel and advantageous delivery devices for compositions of cetyl myristoleate. The delivery devices include transdermal delivery devices, suppositories, enteric coatings, and microencapsulation. Further provided are methods of treating diseases using the disclosed delivery devices. Diseases that can be treated with the devices include, but are not limited to, diseases associated with the inflammation of tissues, diseases associated with inflammatory conditions affecting joints, and autoimmune diseases.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 12 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2002:69622 USPATFULL

TITLE:

Method of making pressure sensitive adhesive matrix patches for transdermal drug delivery using hydrophilic

salts of drugs and hydrophobic pressure sensitive

adhesive dispersions

INVENTOR (S):

Venkateshwaran, Srinivasan, Salt Lake City, UT, United

Fikstad, David, Salt Lake City, UT, United States Ebert, Charles D., Salt Lake City, UT, United States Watson Pharmaceuticals, Inc., Corona, CA, United States

PATENT ASSIGNEE(S):

(U.S. corporation)

NUMBER KIND DATE ______

PATENT INFORMATION:

US 6365178 B1 20020402 US 2001-764040 20010117 (9)

APPLICATION INFO.: RELATED APPLN. INFO.:

Continuation of Ser. No. US 1998-149523, filed on 8 Sep 1998, now abandoned Continuation-in-part of Ser. No. US

1996-706624, filed on 6 Sep 1996, now patented, Pat.

No. US 5985317

DOCUMENT TYPE:

Utility

FILE SEGMENT:

GRANTED

PRIMARY EXAMINER:

Dodson, Shelley A.

LEGAL REPRESENTATIVE:

Thorpe North & Western, Koneru, Phanesh, Tran, Paul B.

NUMBER OF CLAIMS:

48

EXEMPLARY CLAIM:

NUMBER OF DRAWINGS:

1 Drawing Figure(s); 1 Drawing Page(s)

LINE COUNT:

1462

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A method of making a pressure sensitive matrix patch for transdermal AB delivery of a drug is disclosed. The method includes the steps of dissolving a hydrophilic salt form of the drug in the water phase of an aqueous dispersion of a hydrophobic pressure sensitive adhesive, casting the resulting mixture as a thin film, and evaporating the water. The physical stability of the drug in the film is excellent, and

crystallization of the drug is inhibited. A method of increasing the transdermal flux of an acidic drug is also disclosed.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 13 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2001:229232 USPATFULL

TITLE:

NOVEL FORMULATIONS FOR THE TRANSDERMAL ADMINISTRATION

OF ASIMADOLINE

INVENTOR(S):

VAN OSDOL, WILLIAM W., MOUNTAIN VIEW, CA, United States

WATANABE, TYLER, LOS ALTOS, CA, United States

NUMBER KIND DATE _____ US 2001051181 A1 20011213 US 1998-213478 A1 19981217 (9) PATENT INFORMATION: APPLICATION INFO.:

> NUMBER DATE _____

PRIORITY INFORMATION: US 1997-68376P 19971222 (60)

DOCUMENT TYPE: FILE SEGMENT: Utility APPLICATION

LEGAL REPRESENTATIVE: ALZA CORPORATION, INTELLECTUAL PROPERTY DEPT, M10-3,

1900 CHARLESTON ROAD, P.O. BOX 7210, MOUNTAIN VIEW, CA,

94039-7210

NUMBER OF CLAIMS: 28 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 4 Drawing Page(s)

938 LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Composition of matter for application to a body surface or membrane to administer asimadoline by permeation through the body surface or membrane, the composition comprising asimadoline to be administered, at a therapeutically effective rate, alone or in combination with a permeation enhancer or mixture. Also disclosed are drug delivery devices and methods for the transdermal administration of asimadoline.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 14 OF 24 USPATFULL on STN

2001:121092 USPATFULL ACCESSION NUMBER:

Skin permeation enhancer compositions comprising a TITLE:

monoglyceride and ethyl palmitate

Beste, Russell D., Mountain View, CA, United States INVENTOR(S):

Hamlin, Richard D., Newark, CA, United States

ALZA Corporation, Mountain View, CA, United States PATENT ASSIGNEE(S):

(U.S. corporation)

NUMBER KIND DATE _____ US 6267984 B1 20010731 US 1998-213835 19981217 PATENT INFORMATION: APPLICATION INFO.: 19981217 (9)

NUMBER DATE

_____ PRIORITY INFORMATION: US 1997-68411P 19971222 (60)

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

FILE SEGMENT: GRANTED
PRIMARY EXAMINER: Dodson, Shelley A.

LEGAL REPRESENTATIVE: Date, Vandana, Stone, Steven

NUMBER OF CLAIMS: 36 EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 4 Drawing Figure(s); 2 Drawing Page(s)

978 LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Compositions, devices, and methods for transdermal administration of a drug are disclosed using a novel permeation enhancer mixture comprising a monoglyceride and ethyl palmitate. The monoglyceride/ethyl palmitate permeation enhancer is a potent permeation enhancer and provides stable

systems which are more readily characterized. Additionally, ethyl palmitate cosolvent systems are more readily processed at manufacturing conditions thus providing further advantages over other cosolvents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 15 OF 24 USPATFULL on STN

2001:40032 USPATFULL ACCESSION NUMBER:

Reduction of skin reactions caused by transdermal drug TITLE:

delivery

Cormier, Michel J. N., Mountain View, CA, United States INVENTOR(S):

Daddona, Peter E., Menlo Park, CA, United States Johnson, Juanita A., Belmont, CA, United States ALZA Corporation, Mountain View, CA, United States

PATENT ASSIGNEE(S): (U.S. corporation)

> KIND DATE NUMBER _____

PATENT INFORMATION:

US 6203817 B1 20010320 US 1998-92606 19980605

19980605 (9)

RELATED APPLN. INFO.:

Continuation-in-part of Ser. No. US 1997-892118, filed

on 14 Jul 1997

NUMBER DATE _____

PRIORITY INFORMATION:

US 1997-38425P 19970219 (60)

DOCUMENT TYPE:

Utility

FILE SEGMENT:

Granted

PRIMARY EXAMINER: Clardy, S. Mark
ASSISTANT EXAMINER: Shelborne, Kathryne E.
LEGAL REPRESENTATIVE: Bates, Owen J., Stone, Steven F., Date, Vandana

NUMBER OF CLAIMS:

27

EXEMPLARY CLAIM: NUMBER OF DRAWINGS:

11 Drawing Figure(s); 10 Drawing Page(s)

LINE COUNT:

1076

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Transdermal compositions, devices, and methods for the administration of a drug at reduced skin irritation levels are disclosed. More particularly, this invention relates to novel methods, compositions, and devices for the reduction or elimination of irritation or sensitization caused by an irritating or sensitizing drug when it is delivered transdermally. According to a preferred embodiment, transdermal administration of a drug salt of a non-zwitterionic drug is disclosed wherein the drug salt comprises a combination of surface activity and a

low octanol-water partition coefficient. Such drug salts have been found to reduce irritation or sensitization to the drug being delivered while achieving therapeutically effective transdermal fluxes.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 16 OF 24 USPATFULL on STN

ACCESSION NUMBER:

2001:21885 USPATFULL

TITLE:

Titanium dioxide particles, method for their

preparation and their use in cosmetics, varnish and

surface coating

INVENTOR(S):

Chopin, Thierry, Saint-Leu la Foret, France Dupuis, Dominique, Deuil-la-Barre, France

Pacaud, Bernard, Kobe, Japan

PATENT ASSIGNEE(S):

Rhodia Chimie, Courbevoie Cedex, France (non-U.S.

corporation)

NUMBER KIND DATE

PATENT INFORMATION:

US 6187438 B1 20010213

WO 9801392 19980115 APPLICATION INFO.: US 1999-214624 19990623 (9) WO 1997-FR1208 19970704

19990623 PCT 371 date 19990623 PCT 102(e) date

NUMBER DATE

PRIORITY INFORMATION: FR 1996-8460 19960708

FR 1996-11781 19960927

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Le, H. Thi

LEGAL REPRESENTATIVE: Burns, Doane, Swecker & Mathis, L.L.P.

NUMBER OF CLAIMS: 20 EXEMPLARY CLAIM: 1 LINE COUNT: 1346

The invention concerns titanium dioxide particles coated at least partially: with a first layer of at least a cerium and/or iron compound, and a second layer of at least a metal oxide, hydroxide or oxohydroxide, the said particles having a BET specific surface area of at least 70 m.sup.2 /g and a density of 2.5. The invention also concerns a method for preparing these particles and their use as anti-UV agent.

L5 ANSWER 17 OF 24 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:553390 CAPLUS

DOCUMENT NUMBER: 133:155452

TITLE: Stable non-aqueous single phase viscous vehicles and

formulations utilizing such vehicles

INVENTOR(S): Berry, Stephen A.; Fereira, Pamela J.; Dehnad, Houdin;

Muchnik, Anna

PATENT ASSIGNEE(S): Alza Corporation, USA

SOURCE: PCT Int. Appl., 42 pp.

CODEN: PIXXD2
DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND DA		CATION NO.	
WO 2000045790 WO 2000045790		0000810 WO 20	000-US2772	
W: AE, AL,	M, AT, AU, A	AZ, BA, BB, BG, ES, FI, GB, GD,	BR, BY, CA, C GE, GH, GM, H	H, CN, CR, CU, R, HU, ID, IL,
IN, IS,	P, KE, KG, F	KP, KR, KZ, LC, MX, NO, NZ, PL,	LK, LR, LS, L	T, LU, LV, MA,
SK, SL,	J, TM, TR, T	TT, TZ, UA, UG,	UZ, VN, YU, Z	A, ZW, AM, AZ,
RW: GH, GM,	Z, MD, RU, T Œ, LS, MW, S	SD, SL, SZ, TZ,	UG, ZW, AT, B	E, CH, CY, DE,
DK, ES, CG, CI,	M, GA, GN, C	GR, IE, IT, LU, GW, ML, MR, NE,	SN, TD, TG	
EP 1152749 R: AT BE.		0011114 EP 20 ES, FR, GB, GR,		
IE, SI,	T, LV, FI, F	RO	000-596910	
JP 2002536315 NZ 513441	A 20	0040130 NZ 20	000-513441	20000202
AU 775904	B2 20	0040819 AU 20	000-34816	20000202

ZA 2001006443 A 20020806 ZA 2001-6443 20010806
NO 2001003861 A 20010920 NO 2001-3861 20010808
US 2003108609 A1 20030612 US 2002-319277 20021212
US 1999-119170P P 19990208
WO 2000-US2772 W 20000202
WO 2000-US2772 B1 20000203 PRIORITY APPLN. INFO.:

This invention relates to stable non-aqueous single phase viscous vehicles and AB to formulations utilizing such vehicles. The formulations comprise at least one beneficial agent uniformly suspended in the vehicle containing solvents, surfactants, and polymers. The formulation is capable of being stored at temps. ranging from cold to body temperature for long periods of time.

The formulations are capable of being uniformly delivered from drug delivery systems at an exit shear rate of between about 1 to 1 x 107 reciprocal second. A vehicle was prepared by dissolving glycerol monolaurate in lauryl lactate and blending PVP into the mixture Lyophilized growth hormone reconstituted in deionized water was diafiltrated and spray-dried. The spray-dried powder was suspended in the above vehicle.

ANSWER 18 OF 24 USPATFULL on STN

ACCESSION NUMBER: 1999:166619 USPATFULL

Permeation enhances for transdermal drug delivery TITLE:

compositions, devices and methods

Lee, Eun Soo, Redwood City, CA, United States INVENTOR (S):

Yum, Su II, Los Altos, CA, United States

ALZA Corporation, Palo Alto, CA, United States (U.S. PATENT ASSIGNEE(S):

corporation)

NUMBER KIND DATE ______ US 6004578 19991221 US 1997-956379 19971023 (8) PATENT INFORMATION:

APPLICATION INFO.:

NUMBER DATE

US 1996-30424P 19961024 (60) PRIORITY INFORMATION:

Utility DOCUMENT TYPE: Granted FILE SEGMENT:

PRIMARY EXAMINER: Clardy, S. Mark
ASSISTANT EXAMINER: Williamson, Michael A.

LEGAL REPRESENTATIVE: Rafa, Michael J., Stone, Steven F.

NUMBER OF CLAIMS: 34 EXEMPLARY CLAIM:

18 Drawing Figure(s); 15 Drawing Page(s) NUMBER OF DRAWINGS:

851 LINE COUNT:

The present invention is directed to the transdermal administration of at least one drug together with a suitable amount of a permeation enhancer comprising monoalkyl ethers of polyethyleneglycol and their alkyl or aryl carboxylic acid esters and carboxymethyl ethers. The invention includes a transdermal drug delivery device comprising a matrix adapted to be placed in drug- and- permeation enhancertransmitting relation with a skin site. The matrix contains sufficient amounts of the permeation enhancer and drug, in combination, to continuously administer drug to the systemic circulation of a patient at a therapeutically effective rate. The invention is also directed to compositions and methods for transdermal administration of at least one drug together with a permeation enhancer of this invention, alone or in combination with other enhancers.

ANSWER 19 OF 24 USPATFULL on STN

ACCESSION NUMBER: 1999:109990 USPATFULL

TITLE:

Fatty acid esters of lactic acid salts as permeation

INVENTOR(S):

Venkateshwaran, Srinivasan, Salt Lake City, UT, United

States

Fikstad, David, Salt Lake City, UT, United States

Patel, Sonal R., Sandy, UT, United States

PATENT ASSIGNEE(S):

TheraTech, Inc., Salt Lake City, UT, United States

(U.S. corporation)

NUMBER KIND DATE _____

PATENT INFORMATION: US 5952000 19990914 APPLICATION INFO.: US 1997-959946 19971029 19971029 (8)

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1996-741071, filed

on 30 Oct 1996, now abandoned

DOCUMENT TYPE:

Utility

FILE SEGMENT:

Granted

PRIMARY EXAMINER:

Brouillette, D. Gabrielle LEGAL REPRESENTATIVE: Thorpe, North & Western, L.L.P.

NUMBER OF CLAIMS: 20

EXEMPLARY CLAIM:

1 1112

LINE COUNT:

A transdermal drug delivery system which enhances the delivery of the drug comprises a composition containing, as an enhancer, one or more C.sub.6 to C.sub.22 fatty acid esters of a lactic acid salt. These compositions are made up of a safe and effective amount of an active pharmaceutical permeant contained in a penetration-enhancing vehicle comprising, 0.25 to 50% w. of the fatty acid ester of a lactic acid salt enhancer in a suitable pressure sensitive adhesive carrier vehicle formed from and aqueous emulsion based pressure sensitive adhesive.

ANSWER 20 OF 24 USPATFULL on STN

ACCESSION NUMBER:

1999:85017 USPATFULL

TITLE:

Crystalline form of estradiol and pharmaceutical

formulations comprising same

INVENTOR(S):

Farinas, Kathleen C., San Carlos, CA, United States

Jayalakshmi, Yalia, Palo Alto, CA, United States

Lee, Susanne M., Albany, NY, United States Soni, Pravin L., Sunnyvale, CA, United States

PATENT ASSIGNEE(S):

Cygnus Inc., Redwood City, CA, United States (U.S.

corporation)

NUMBER KIND DATE _______

US 5928666 19990727 US 1997-968769 19971110 (8)

PATENT INFORMATION: APPLICATION INFO.:

NUMBER DATE

PRIORITY INFORMATION:

US 1996-30524P 19961112 (60)

DOCUMENT TYPE: FILE SEGMENT:

Utility Granted

PRIMARY EXAMINER: Webman, Edward J.

LEGAL REPRESENTATIVE: Horne, Angela P., McClung, Barbara G.

18 NUMBER OF CLAIMS: 1 EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 1 Drawing Figure(s); 1 Drawing Page(s)

866 LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The present invention is directed to a stable crystalline form of estradiol suitable for incorporation into pharmaceutical formulations. The invention further provides methods of preparing said crystalline form of estradiol. The invention further provides pharmaceutical formulations comprising said crystalline form of estradiol. The invention further provides a method of treatment of an individual in need of such administration by the transdermal administration of estradiol from a polymeric matrix comprising the crystal structure of estradiol of the present invention.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 21 OF 24 USPATFULL on STN

1999:67029 USPATFULL ACCESSION NUMBER:

Fatty acid esters of glycolic acid and its salts TITLE:

Venkateshwaran, Srinivasan, Salt Lake City, UT, United INVENTOR (S):

Fikstad, David, Salt Lake City, UT, United States

Patel, Sonal R., Sandy, UT, United States

TheraTech, Inc., Salt Lake City, UT, United States PATENT ASSIGNEE(S):

(U.S. corporation)

NUMBER KIND DATE

PATENT INFORMATION: US 5912009 19990615 APPLICATION INFO.: US 1997-959944 19971029 (8)

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1996-741071, filed

on 30 Oct 1996, now abandoned

DOCUMENT TYPE: Utility Granted FILE SEGMENT:

Page, Thurman K. PRIMARY EXAMINER:

ASSISTANT EXAMINER: Channavajjala, Lakshmi LEGAL REPRESENTATIVE: Thorpe, North & Western

40 NUMBER OF CLAIMS: EXEMPLARY CLAIM: 1 1167 LINE COUNT:

A transdermal drug delivery system which enhances the delivery of the AB drug comprises a composition containing, as an enhancer, one or more C.sub.6 to C.sub.22 fatty acid esters of glycolic acid and its salts. These compositions are made up of a safe and effective amount of an active pharmaceutical permeant contained in a penetration-enhancing vehicle comprising, 0.25 to 50% w. of the fatty acid glycolic acid ester enhancer in a suitable carrier vehicle. These fatty acid glycolic acid ester enhancers may be used in various carrier vehicles to enhance the transdermal delivery of active permeants in either free form or used in an occlusive device, particularly in a transdermal patch in matrix or reservoir form. When used in matrix patch form, the fatty acid glycolic acid ester enhancers and permeants are incorporated into a biocompatible adhesive. When used in a reservoir type patch, the permeant and fatty acid glycolic acid ester enhancers are incorporated into a carrier fluid of controlled viscosity such as a gel or ointment preferably containing a lower alkanol and water. In free form, the enhancer and permeant may be incorporated into an ointment, lotion, cream, or similar formulation.

L5 ANSWER 22 OF 24 USPATFULL on STN

ACCESSION NUMBER: 1999:61017 USPATFULL

TITLE:

Supersaturated transdermal drug delivery systems, and

methods for manufacturing the same

Farinas, Kathleen C., Belmont, CA, United States INVENTOR(S):

Miller, Chad M., Durham, NC, United States Soni, Pravin L., Sunnyvale, CA, United States

Cygnus, Inc., Redwood City, CA, United States (U.S. PATENT ASSIGNEE(S):

corporation)

NUMBER KIND DATE ______

PATENT INFORMATION: APPLICATION INFO.:

US 5906830 19990525 US 1996-708389 19960904 (8)

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1995-525867, filed

on 8 Sep 1995, now abandoned

DOCUMENT TYPE:

Utility Granted

FILE SEGMENT:

Page, Thurman K.

PRIMARY EXAMINER: ASSISTANT EXAMINER:

Shelborne, Kathryne E.

LEGAL REPRESENTATIVE: McClung, Barbara G.Bozicevic & Reed, LLP.

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

14

NUMBER OF DRAWINGS:

7 Drawing Figure(s); 6 Drawing Page(s)

LINE COUNT:

807

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Methods are provided for manufacturing transdermal drug delivery systems containing supersaturated drug reservoirs, such that higher drug fluxes are obtained. The methods involve heating the drug reservoir components to a predetermined temperature. Generally, this temperature is higher than the depressed melting temperature of the polymer-drug admixture which will serve as the drug reservoir. In an alternative embodiment, wherein heat treatment of the reservoir components results in a system having two liquid phases, the predetermined temperature is calculated so as to be higher than the melting temperature of the pure drug. Drug reservoirs and novel transdermal delivery systems prepared using the disclosed techniques are provided as well.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 23 OF 24 USPATFULL on STN

1998:118850 USPATFULL ACCESSION NUMBER: TITLE:

INVENTOR(S):

Cosmetic composition

PATENT ASSIGNEE(S):

Lyle, Ian Gardner, Flintshire, United Kingdom

Lever Brothers Company, Division of Conopco, Inc., New

York, NY, United States (U.S. corporation)

NUMBER KIND DATE

PATENT INFORMATION:

US 5814323 19980929

APPLICATION INFO.:

US 7209991 19961015 (8)

NUMBER DATE _____

DOCUMENT TYPE:

PRIORITY INFORMATION: GB 9521125 19951016 Utility

FILE SEGMENT:

Granted

PRIMARY EXAMINER: Page, Thurman K.

ASSISTANT EXAMINER:

Faulkner, D.

NUMBER OF CLAIMS:

LEGAL REPRESENTATIVE: Koatz, Ronald A.

EXEMPLARY CLAIM:

1

LINE COUNT:

494

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A process for reversibly applying a cosmetic composition to the skin or comprising: a) contacting the skin or hair with the cosmetic composition, the composition comprising at least one amphiphilic material which is capable of forming a water-insoluble liquid crystal phase of greater than one-dimensional periodicity and a cosmetic agent and b) when desired, removing the cosmetic composition by applying to the skin or hair a cleansing composition comprising a surface active agent and a hydrotrope capable of destroying the liquid crystal phase formed in a step a). An advantage of such a system is that the cosmetic agent is strongly adhered to the skin or hair when applied and can be effectively removed when desired.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 24 OF 24 USPATFULL on STN

ACCESSION NUMBER:

1998:150486 USPATFULL

TITLE:

Skin permeation enhancer compositions comprising

glycerol monolaurate and lauryl

acetate

INVENTOR(S):

Burkoth, Terry L., Oxford, England

Taskovich, Lina T., Palo Alto, CA, United States Beste, Russell D., Mountain View, CA, United States

Gale, Robert M., Los Altos, CA, United States Lee, Eun Soo, Redwood City, CA, United States Hamlin, Richard D., Newark, CA, United States

Yum, Su LL, Los Altos, CA, United States

PATENT ASSIGNEE(S):

ALZA Corporation, Palo Alto, CA, United States (U.S.

corporation)

NUMBER KIND DATE

-----PATENT INFORMATION: US 5843468 19981201 APPLICATION INFO.: US 1996-644922 19960513 (8)

RELATED APPLN. INFO.:

Continuation-in-part of Ser. No. US 1995-481549, filed on 7 Jun 1995, now patented, Pat. No. US 5785991

DOCUMENT TYPE:

Utility Granted

FILE SEGMENT: PRIMARY EXAMINER:

Brouillette, D. Gabrielle

LEGAL REPRESENTATIVE: Rafa, Michael J., Stone, Steve F.

NUMBER OF CLAIMS:

19 1

EXEMPLARY CLAIM:

NUMBER OF DRAWINGS:

9 Drawing Figure(s); 6 Drawing Page(s)

LINE COUNT:

864

CAS INDEXING IS AVAILABLE FOR THIS PATENT. Compositions, devices, and methods for transdermal administration of an active agent are disclosed using a novel dual permeation enhancer

mixture comprising lauryl acetate and a monoglyceride, preferably glycerol monolaurate. The dual permeation enhancer

mixture comprising lauryl acetate is a potent permeation enhancer and

provides stable systems which are more readily characterized.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.